



# Sleepy Baby™ LED Nursery Light


## Benefits

The proprietary LED source works with your body's natural circadian rhythm to help baby fall asleep faster and stay asleep longer. Other lights are more disruptive and don't support natural melatonin production.

- Only 3.5W - Requires 85% less power than comparable 40 watt Incandescent lamp.
- Maintenance free operation, lasts up to 20 times longer than incandescent lighting.

### FEATURES <sup>1</sup>

Equivalent Source	40W Incandescent
L70 lumen depreciation design criteria	25,000 hours
Dimmable	Yes
Housing	Aluminum
Socket	E26
Operating Temperature	-20°C to +40°C
E26 MOL	4.49in, 88.04mm
Voltage	120 VAC
Weight	.1 lbs, .045g
Power Factor	≥.8.5
Warranty	5 year limited



Specifications supplied are nominal. Please refer to the DOE's Lighting Facts Tolerance Guidelines.  
<sup>1</sup> Values are nominal, advances from further innovation, specifications are subject to change.

### SPECIFICATIONS

Part Number	Base Type	Wattage	Lumens	Voltage	Efficacy	CCT
LS P15 40WE SLPB 120 G1 BX	E26	3.5W	300	120	80	2300K

### ORDERING INFORMATION \ \ DFN A19 60WE SLP 120

Family	Product	Wattage Equivalency	Color (CCT)	Voltage
LS Lighting Science	P15	40WE 40 Watt Equivalent	2300K SLPB SLEEPY BABY	120 Volt

#### NORTH AMERICAN CERTIFICATIONS



#### ENVIRONMENT



#### CAUTIONS

THIS DEVICE IS NOT INTENDED FOR USE WITH EMERGENCY EXITS. CAUTION: RISK OF SHOCK- DO NOT USE WHERE DIRECTLY EXPOSED TO WATER. TURN OFF POWER BEFORE INSPECTION, INSTALLATION, OR REMOVAL. DO NOT OPEN - NO USER SERVICEABLE PARTS INSIDE. Not for use in totally enclosed fixtures. This device complies with part 15 of the FCC rules and has been tested and found to comply with the limits for a Class B digital device. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Any changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment. Suitable for damp locations. Use only on 120 Volt, 60 Hz circuits. Compatible with most dimmer switches.

#### Representante Exclusivo



Bosque de Duraznos #69 - Torre B 1107-A  
 Col. Bosques de las Lomas, México DF. 11700  
 Tel: +52 55 5251 2008  
 ventas@bhpenery.mx